

Hybrid Forage Sorghum


Relative Maturity: Early





## **HYBRID HIGHLIGHTS**

- Early forage choice harvest in approximately 85 days
- Excellent standability due to shortened internodes
- High rate of viable tillers
- Superior digestibility due to the BMR Trait
- Good drought tolerance




| PLANT CHARACTERISTICS   |       |
|-------------------------|-------|
| Avg Seeds/lb (x1000)    | 17-19 |
| Avg Days to Boot        | 60    |
| Silage Harvest Maturity | 85    |
| Plant Trait             | BMR   |
|                         |       |

| PLANT RATINGS     |   |
|-------------------|---|
| Early Vigor       | 7 |
| Standability      | 3 |
| Drought Tolerence | - |

| PEST RESISTANCE |      |
|-----------------|------|
| Anthracnose     | MR   |
| Downy Mildew    | MR   |
| Greenbug        | None |

| FORAGE MANAGEMENT  | SYSTEM |
|--------------------|--------|
| Нау                | R      |
| Silage             | HR     |
| Continuous Grazing | R      |
| Rotational Grazing | R      |

| WATER MANAGEMENT SYSTEM |    |
|-------------------------|----|
| Dryland                 | R  |
| Limited Water           | HR |
| Irrigated               | HR |





Always follow grain marketing and IRM requirements and pesticide label directions. Agronomic characteristics and ratings may vary with growing conditions and environment. Ratings are approximate and should not be considered as absolute. Ratings on new products are based on limited data and may change as more data are collected. Extreme or variable conditions may adversely affect performance. WLBUR-ELLIS logo, The Power of We, INTEGRA, and I INTEGRA logo are registered trademarks of Wilbur-Ellis Company LLC.

K-336904-35F45

WILBUR-ELLIS.

