

NEW


HB9712 | 97 RM

GDU to Mid-Silk 1235
 GDU to Black Layer 2310
 Pollination for Maturity Medium

Hybrid Highlights

- Widely adapted hybrid across soils and yield environments with strong agronomics
- Very good staygreen and late-season intactness
- Consistent ear set within row
- Very strong *Goss's wilt* tolerance
- Dual-purpose potential
- Best performance in western regions

Trait: CONV

Region Adaptability



Agronomics

Staygreen	Very Good
Greensnap	Very Good
Stalks	Very Good
Roots	Very Good
Early Vigor	Average
Drought Tolerance	Very Good
Test Weight	Average
Silage	Excellent

Water Management

Full Irrigation	HR
Limited Irrigation	HR
Rainfed	HR
Dryland (Stress)	HR

Disease Tolerance

N. Corn Leaf Blight	Average
Gray Leaf Spot	Very Good
Southern Leaf Blight	N/A
Goss's Wilt	Excellent
Common Rust	Very Good
Southern Rust	N/A
Stalk Rot	Very Good
Ear Rot	N/A

Management Response

Added Management	Very Good
Fungicide Response	Average
Average Management	Excellent
Low Management	Excellent


Soil Placement

Course (Droughty)	Very Good
Medium	Excellent
Heavy (Well Drained)	Excellent
Heavy (Poorly Drained)	Very Good
Variable	Excellent

Rotation Management

Rotated Acres	HR
Continuous Corn	HR
Continuous Corn w/ Fungicide	R

Key





HB9712 | 97 RM

HARVEST BOUNTY® CORN

Plant Description

Plant Height	Med-Tall
Ear Height	Medium
Leaf Angle	Semi-Upright
Leaf Color	N/A
Leaf Width	N/A
Silk Color	N/A
Anther Color	N/A
Kernel Cap Color	N/A
Kernel Row	16-18
Cob Color	Red
Ear Length	Semi-Long
Ear Girth	Average
Ear Type	Flex
Husk Cover	Medium

Population Management

Yield Environment	Population Range
0-100	14000-20000
101-150	20000-28000
151-200	28000-32000
201-250	32000-35000
251-300	32000-35000

Herbicide Sensitivity

Growth Regulator	Caution
Sulfonylureas Inhibitors (ALS)	Acceptable
Pigment Inhibitors (HPPD)	Acceptable

Yield Environment Placement

Tough	Excellent
Variable	Excellent
High Yield	Excellent



Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and consider the impacts of these conditions on the grower's fields. Always follow grain marketing and IRM requirements and pesticide label directions. Agronomic characteristics and ratings may vary with growing conditions and environment. Ratings are approximate and should not be considered as absolute. Ratings on new products are based on limited data and may change as more data are collected. Extreme or variable conditions may adversely affect performance. WILBUR-ELLIS logo and HARVEST BOUNTY are registered trademarks, HARVEST BOUNTY logo is a trademark of Wilbur-Ellis Company LLC. DEKALB is a registered trademark of Bayer Group. Pioneer is a registered trademark of Corteva Agriscience and its affiliated companies.